

# Smappee Current Transformers



Smappee offers a wide array of Split Core CTs and Rogowski coils that are compatible with the CT Hub. In addition, Smappee offers a Solid Core 3-Phase CT.

## 1 Split Core CTs

Type	Article number	L x W x H (mm)	L x W x H (inches)	Max. wire diameter	Cable length
50 A	AC-CT-50A	25.5 x 40.5 x 26	1 x 0.41 x 1.02	10 mm / 0.39 inches	180 cm / 70.87 inches
100 A	AC-CT-100A	32 x 44.5 x 31	1.26 x 1.75 x 1.22	16 mm / 0.63 inches	180 cm / 70.87 inches
200 A	AC-CT-200A	50.5 x 66.5 x 41	1.99 x 2.62 x 1.61	24 mm / 0.94 inches	180 cm / 70.87 inches
400 A	AC-CT-400A	57.8 x 85 x 42.5	2.28 x 3.35 x 1.67	36 mm / 1.42 inches	180 cm / 70.87 inches
50 A	AC-CT-S-50A	25.5 x 40.5 x 26	1 x 0.41 x 1.02	10 mm / 0.39 inches	30 cm / 11.81 inches
100 A	AC-CT-S-100A	32 x 44.5 x 31	1.26 x 1.75 x 1.22	16 mm / 0.63 inches	30 cm / 11.81 inches
200 A	AC-CT-S-200A	50.5 x 66.5 x 41	1.99 x 2.62 x 1.61	24 mm / 0.94 inches	30 cm / 11.81 inches

Conforms to UL Std. 61010-1, 61010-2-032

## 2 Rogowski coils

Type	Article number	External diameter	Internal diameter	Cable length
0 - 1,600 A	AC-RSCT-12CM	140 mm / 5.51 inches	120 mm / 4.72 inches	150 cm / 59 inches
0 - 4,000 A	AC-RSCT-19CM	210 mm / 8.27 inches	190 mm / 7.48 inches	150 cm / 59 inches

## 3 Solid Core 3-Phase CT

- Typically used for 3-phase measurements.
- Accuracy class 0.2 %.
- Daisy-chain up to 9 Solid Core 3-Phase CTs or combine with Smappee CT Hubs to measure up to 28 inputs and up to a distance of 100 meters (109 yards).
- Small, compact.
- Cost-effective alternative to the CT Hub with CTs.

ARTICLE NUMBER: I1-IAC-2

- **Input current:** 3 x 50 A
- **Outer cable diameter:** Maximum 6.7 mm / 0.26 inches
- **Dimensions:** 59 x 35 x 23 mm (2.32 x 1.38 x 0.91 inches)
- **Weight:** 45 g (1.59 oz)
- **Operating temperature:** -10 °C to 70 °C (14 °F to 158 °F)
- **Storage temperature:** -20 °C to 90 °C (-4 °F to 194 °F)
- **Relative humidity:** 0% - 95 %, non-condensing
- **EMC:** IEC 61326-1, FCC 47 part 15
- **Connectivity:** 2x Smappee Bus A
- **Included accessories:**