

Smappee EV One Business




The Smappee EV One is a ground-mounted EV charging station with one connector. Designed for easy installation, it has a simple configuration and installation wizard. The integrated LED lighting indicates the charging status and provides ample visibility in the parking area. Available with a Type 2 socket, the EV One supports multiple payment options via RFID or QR codes.

Unlock Smappee's energy intelligence and charging management features with our business subscription plan*:

- Maximize renewable energy consumption and improve overall energy efficiency.
- Reduce costs and minimize grid investment with dynamic load management.
- Monitor multiple chargers remotely and set up priority charging.
- Make chargers public with our CPO add-on, manage rates, and integrate Smappee Pay Station.
- Get over-the-air updates to always have the latest features and improvements and to cope with the cars' firmware changes.

**The Business subscription plan is priced per connector and per month. Additional add-ons are available based on your needs.*



Dimensions

- Charging station:
1100 mm × 120 mm × 120 mm
- Floorplate:
300 mm x 300 mm x 50 mm

Weight

- Charging station: 12.3 kg
- Floorplate: 3.2 kg

Operating temperature

-25 °C to 40 °C

Storage temperature

-25 °C to 60 °C

Relative humidity

0 % - 95 %, non-condensing

Operating altitude

0 - 2000 m

Standards

IEC 61851-1, AS/NZS 3820

Product certification

CE, ACMA

Connectivity

Ethernet 100BASE-T

Communication protocol

OCPP 1.6 J, ready for update to OCPP 2.0.1

Mounting method

Ground, with supplied anchor or optional floorplate

Enclosure

- Material: Magnelis (structure), aluminium (housing)
- Rating: IP54 / IK10
- Standard colour: RAL 7021 (black grey)

Integrated Residual Current Protection

6 mA DC RCM and 30 mA RCD type A

Required external protection

Circuit breaker of maximum 40 A, type B or C

Charging

- Main power: 230 V/400 V, 32 A
- Maximum nominal power
Single-phase connection: 7.4 kW
Three-phase connection: 22 kW
- Charge mode: Mode 3 (IEC 61851)
- Activation method: Plug and charge, swipe RFID, scan QR code, optional Pay Station
- Information status: RGB LED
- MID metering, certified class B

Connectors

1 × type 2 socket with shutter